




耐动电动自行车轮胎

NEDONG E-BIKE TIRES

蜂窝 · 轻弹 · 超强滤震更舒适
Honeycomb • Light & elastic • Outstanding performance on shock absorption



对比传统实心免充气轮胎
最高减重**30%**
Compared with traditional airless tires,
can save up to 30% weight

轻

弹

弹性好更舒适
压缩比达**25%**以上
Good elasticity leads to more
comfortable riding, compression ratio of more than 25%

耐气候性强
-40° - 60° 正常使用
Strong weather resistance makes it usable
between -40°-60°

耐

磨

性能稳定
抗**酸雨/紫外线**, 不易磨损
Stable performance, acid rain/ultraviolet resistance, not
easy to wear



12x2.125
双蜂窝Bihoneycomb



12x2.5
双蜂窝Bihoneycomb

型号： Model	12x2.125	12x2.5
匹配轮毂直径： Suitable Rim Diameter	218mm	
匹配轮毂卡槽： Suitable Rim Groove Width	25、30mm	



12x2.75
线蜂窝Line honeycomb



14x2.125
双蜂窝Bihoneycomb

型号： Model	12x2.75	14x2.5
匹配轮毂直径： Suitable Rim Diameter	223mm	272mm
匹配轮毂卡槽： Suitable Rim Groove Width	50mm	39.5mm



14x2.5
线蜂窝Line honeycomb



14x2.75
线蜂窝Line honeycomb

型号： Model	14x2.5	14x2.75
匹配轮毂直径： Suitable Rim Diameter	272mm	272mm
匹配轮毂卡槽： Suitable Rim Groove Width	39.5mm	46mm



16x2.125
线蜂窝Line honeycomb



16x2.5
线蜂窝Line honeycomb

型号： Model	16x2.125	16x2.5
匹配轮毂直径： Suitable Rim Diameter	320mm	
匹配轮毂卡槽： Suitable Rim Groove Width	30mm	38mm



20x1.75
单蜂窝Inner Honeycomb



24x1-3/8
双蜂窝Bihoneycomb

型号： Model	20x1.75	24x1-3/8
匹配轮毂直径： Suitable Rim Diameter	420mm	550mm
匹配轮毂卡槽： Suitable Rim Groove Width	25mm	24mm



24x1.5
单蜂窝Inner Honeycomb



26x1.5单蜂窝
Inner Honeycomb

型号： Model	24x1.5	26x1.5
匹配轮毂直径： Suitable Rim Diameter	520mm	570mm
匹配轮毂卡槽： Suitable Rim Groove Width	24mm	25mm



26x1.75单蜂窝
Inner Honeycomb




客户定制
Custom specifications

型号： Model	26x1.75	27.5x1.95
匹配轮毂直径： Suitable Rim Diameter	570mm	573mm
匹配轮毂卡槽： Suitable Rim Groove Width	25mm	25mm

耐动双弹免充气轮胎

NEDONG EXTRA-ELASTIC TIRE



双弹内胎
Extra-Elastic Tire

通用外胎
Universal outer tire

缓震高弹

CUSHIONING AND HIGH ELASTICITY

采用轻质改性材料，内部支撑结构绵密，降低骑行过程中的跳动和结构撕裂的风险，翻跃障碍能更好的吸收冲击产生的震动，极大的提升了舒适性。
With lightweight modified materials, the internal support structure is dense, which reduces the risk of jumping and structural tearing during riding. It can better absorb the vibration caused by impact when jumping over obstacles, greatly improving comfort.



轻量化升级

LIGHTWEIGHT UPGRADE

相较传统实心免充气轮胎
重量轻40%-50%
Compared with traditional airless tires,
it is 40% -50% lighter in weight

舒适性升级

COMFORT UPGRADE

轻质改性材料的高弹和高缓震性能，
使得骑行时能更大限度的吸收路面冲击，
降低震动，提升舒适性
The high elasticity and outstanding cushioning property of
lightweight modified materials enable it to absorb road impact to
a greater extent, reduce vibration and improve comfort when riding

可靠性升级

RELIABILITY UPGRADE

采用超临界材质，内部绵密无气泡
降低跳动和结构撕裂的风险
Using supercritical material, the interior
is dense without bubbles, reducing the
risk of jumping and structural tearing

通用性升级

UNIVERSAL UPGRADE

可根据客户的需求定制适配不同的外胎
Customizable and adaptable to different types
of tires according to customer needs

四项 升级

FOUR UPGRADES



型号： Model	20x1.75	20x4.0
匹配轮毂直径： Suitable Rim Diameter	420mm	420mm
匹配轮毂卡槽： Suitable Rim Groove Width	25mm	72-76mm